

Fishing Methods Commonly Employed in Gondia District and Neighborhood, Maharashtra State, India

Santosh D. Puri

Adarsh K. Mahavidyalaya, Amgaon, Dist- Gondia (M.S.) 441902, India

Abstract

Study survey was carried out in Gondia District of Maharashtra State (India). Its river, Wainganga flows from the northern boundary of the district. Wainganga's main tributaries are Baagh, Pangoli, Bavanthadi, Chulband and Gadhavi rivers, also flow through the district. The dams in district are, Itiyadoh, Shirpur, Pujaritola, Kalisarad as well as smaller dams at Mangarh, Sangrampur, Bodalkasa, etc. Almost half the district has good forest cover and many water sources. These ample water sources accommodate the healthy environment of diverse fish fauna which supports the livelihood of several economic classes of Gondia District. Fishing methods commonly employed in Gondia District and neighborhood, Maharashtra state, India fall into five categories viz. Disabling types, Trap and barriers types, Filtering types, Entangling types and Miscellaneous types and have been discussed.

KEYWORDS: Gondia District, Baagh River, Pangoli River, Fishing Gears.

INTRODUCTION

The most wonderful mystery of the life may will be the means by which it created so much diversity from little physical matter (Wilson, 1992). Around the world approximately 22,000 species of fishes have been recorded, out of which nearly 2,420 are found in India, of which, 930 live in freshwater and 1,570 are marine (Kar 2003, Ubarhande 2011). From 18th century till to date various pioneers have studied about Ichthyofaunal diversity (Hamilton 1822, Day 1878, Menon 1999) from Himalayan rivers (Jayram 1982) and studies of fishes of Purna, Painganga and their tributary rivers of Buldhana district, Maharashtra (Joshi *et al.*, 2012). These fishes support the livelihood of several economic classes of Gondia District (M.S.). Now, an attempt has been made in this paper to give an account of different fishing gears used in lotic and lentic water of Gondia District of Maharashtra state, India.



METHODOLOGY

Study survey was carried out in Gondia District of Maharashtra State (India) to study the different methods of fishing. It lies between the north latitude of 20.39 and 21.38 and east longitudes of 89.27 to 82.42. Gondia is also known as Rice City due to the abundance of rice crop and rice mills in the area. It is a very important city in the Vidarbha region. Gondia is very close to the state of Madhya Pradesh and is considered the gateway to Maharashtra from Central and Eastern India. There are large number of rice mills and some small scale tobacco industries. It is also known as the District of Lakes, resplendent with natural beauty. Gondia district occupies only 1.76% of the total area in the northeast corner of Maharashtra State. Its river, Wainganga, flows from the northern boundary of the district. Wainganga's main tributary is Baagh river, which flows from the northeast parts of the district. Wainganga's other tributaries Pangoli, Bavanthadi, Chulband and Gadhavi rivers also flow through the district. The district's largest dam, Itiyadoh, with a capacity of 318 cu. m. is on the river Gadhavi in Arjuni-Morgaon taluka. Apart from this there are many large dams such as Shirpur, Pujaritola, Kalisarad as well as smaller dams at Mangarh, Sangrampur, Bodalkasa in the district. Almost half the district has good forest cover. These lentic and lotic water bodies supports a diversified fish fauna and various fishing methods were employed for fish collection.

FISHING METHODS

In Gondia District and neighborhood, Maharashtra state (India) different methods of fishing are used. These methods are commonly fall into five categories (Dutta *et al.* 2001) were as follows-

1. Disabling types.
2. Trap and barriers types.
3. Filtering types.
4. Entangling types.
5. Miscellaneous types.

1. Disabling types:

The following types of fishing methods were known from Gondia District and neighborhood, Maharashtra state:

Rod and wire: This method of fishing was used in all types of water and locally known as “*Kaata*”. It consists of a rod, nylon twine and hook. The nylon wire was tied to a rod on one side and the baited hook on the other side. The nylon wire was also provided with a wooden float. In certain cases, the hook was kept in position by attaching a stone to the nylon twine. The baits used were wheat flour paste, goat liver, chicken entrails and earthworms.

Drift long line: Two or three baited hooks were attached to main nylon thread by small lines or snoods. A weight was attached to the main line and is allowed to drift down stream in pool or moderately flowing lotic water. The fish lured by the bait bites the hook and in the process get entrapped.

Fixed long line: This was also known as cross lines. Baited hooks, at a distance 2' to 2.5' are tied to mainline by small nylon line measuring about 30 to 60 cm. A sinker (stone) at a distance about 1 to 2 meters was attached to the mainline to keep it stretched in water. The mainline was tied to the stone or wooden peg at the bank of river. The hooks were baited with

earthworms, goat liver, chicken entrails, small fishes or wheat flour pills. The fish lured by the bait bites the hook and in the process get entrapped. The line was fixed in the evening and in the morning it is removed to collect the fishes.

2. Traps and barriers:

These methods were employed for fish collection in Gondia District and neighborhood, Maharashtra state:

Pot traps: It consists of an earthen or metallic pot with wide mouth. The mouth of the pot was covered with piece of cloth in which a hole was made. Sometimes pebbles were placed inside the pot to make it heavy. The pot was placed in the flowing water at a convenient place with bait inside which is generally earthworms, goat liver, chicken entrails, small fishes or wheat flour paste. Fishes tempted by the bait, enter through the hole and thus trapped. Periodically the pot was checked and trapped fishes were removed.

Bundh method: A dam or bundh of stone was put on the channel or rivulet to constrict channel width and increase the water flow. At the outlet of channel, a conical shape basket bamboo or cloth bag tied to stick was placed. Water is distributed in the upstream region and fishes are forced to move to the constricted channel. All the fishes running down stream were directed into the basket or clothes. Depth of the trap or cloth bag and the force of water prevent the fish to escape from trap. By this method not only the adult, but even the fry and fingerlings of various fish species were also captured.

Cover basket method: It was conical basket, open at both ends, made up of bamboo strip laced together by coir rope all around intervals. The ends of the strip at the wide opening may be sharpened for temporary fixing basket in mud. The sides of narrow opening were bound by few layers of rope to form a thick ring to prevent hand from being hurt. One man carries the basket in hand and plunges it into the water, where the fishes were suspected to be present and firmly presses the basket in the mud imprisoning them. By putting one hand through the top hole, the fishes inside were stretched for and taken out. This method of fishing was practiced in ponds and shallow pools of streams and is employed by tribal of area.

3. Filtering type:

It includes following methods employed for fish collection in Gondia District and neighborhood, Maharashtra state:

Drag net: Drag net was a wall like structure and was mostly used for fishing in ponds. To keep the net in vertical position, head rope was provided with plastic floats and the foot rope with iron sinkers. Floats were attached to the head rope at distance of about 5-6 feet. In the foot rope, iron sinkers were placed at approximate distance of 7 to 8 cm. Mesh size of the net was nearly 1 sq. cm. The length and height of the drag net varies according to the size and depth of the pond. The netting operation was carried by keeping the net vertically across the width of the pond. The fisherman holds the foot rope in right foot and raises the head rope above the water with his hands. The net was dragged from one end of the pool to the other end. One net man was required at a distance of 5-6 feet. The stretched net restricts the migration of the fish to the other end of the pond. On reaching the corner, ends of the net were brought on the shore and it was dragged from both the sides and the fishes are collected. In deeper ponds, rubber floats are used by net man to keep the nets in vertical position.

Gunny bags: Gunny bags were use for fish collection from the river during monsoon. Mouth of a gunny bag was widely opened by fixing two wooden poles. Sometimes two gunny bags

were joined to form a large structure. Two persons were required for fishing by this method. One pole was in the hands of one person and the other was in the hands of other person. Both the persons move in shallow water by keeping the mouth of gunny bag widely opened, under water. After hauling for some distance the gunny bag was brought on the surface and the fishes are removed.

4. Entangling type:

These methods were employed for fish collection in Gondia District and neighborhood, Maharashtra state:

Gill nets: It was wall like net made of nylon threads woven together. In order to keep it vertically in water, polythene floats were attached to the head rope and sinkers were fixed to the foot rope. Each net is about 10-20 meters long, and its height varies from 2 to 5 meters, depending upon the depth of water. Sometimes two or more nets were connected together to form a bigger net. Mesh size ranges from 2 to 5 cm. The net was fixed vertically across the width of the river. One end of the head and foot rope of the net was tied to a fixed support on one shore and the other on the other shore. This was to avoid shifting from one place to another by the force of water. It was applied in the evening and removed the following morning. When the fish strikes against the net, it tries to pass through it. As the abdomen of the fish has more girth than the head, it cannot pass through the mesh and tries to push itself back. In doing so, the twine slips under the gill covers, thereby, making the escape of the fish impossible.

Cast net: It was conical or bell shaped, forming a circle when spread out. The foot rope along the circumference of the net has small iron or lead weights attached all around about 10-15 cm. intervals. Each weight is cylindrical, 4cm long and 2 cm in diameter. A string or line passes from the centre and is held in the hand for operating the net. The central line (rope) branches out into several lines and also into sub-branches, finally connected to the free edge of the net. The edges of the net in some cases were folded inwardly and fixed by twines to form pockets. The size of the mesh is 1-4 sq. cm and diameter is 5 inch to 10 inch or more. The fisherman operates the net while in water. The net were thrown in the air skillfully. It encloses the fish as it falls and sinks in water. To prevent the escape of fish, when the net was raised, the circumference was reduced inwards to form a pouch around the edge of the net.

5. Miscellaneous type:

It includes the following methods which employed for fish collection in Gondia District and neighborhood, Maharashtra state:

Fishing with mosquito net / muslin cloth: This method of fishing was employed in shallow water pools, ditches, canal, ponds, etc. Four corner of square or rectangular mosquito or muslin cloth net was held in such a way as to form a bag like structure. The cloth was drag from one corner to the other side. It was taken out of the water and small fishes were removed.

Hand net / dip method: This method was used to collect fishes from ponds, small streams, etc. Net consist of two parts, a bag like portion and a handle. A bag like portion was attached to an iron ring on all sides so that a sort of conical pouch was formed. To that iron ring, wooden or iron handle was attached. The radius of iron ring, conical pouch and a handle varies.

Sticks and iron rod: Most of the time, this method was used by tribal boys as a game of fishing. For fishing in shallow water, sticks or metallic rods were used. As soon as a fish is seen, it was struck by the stick or metallic rod and is collected.

ACKNOWLEDGEMENTS

My special thanks to Dr. K. M. Kulkarni, Dr. R. S. Virani, Mr. Prasanna Joshi for their guidance. Also I thankful to the Dhiwar fishermen Mr. Walthare and Mr. Meshram.

REFERENCES

- Acharjyo LN, S Mohopatra and B Mishra, 1978.** On the skin sloughing of King Cobra. *Ophiophagus hannah* (Cantor) in captivity. *J. Bombay Nat. His. Soc.* **75 (1):** 234-236.
- Day F, 1878.** *The fishes of India, being a natural history of the fishes known to inhabit the seas and fresh waters of India, Burma and Ceylon. Vol. I and II.* Ceylon text and atlas in 4 pts., London.
- Dutta SPS, JPS Bali, H Kour, SC Gupta, SA Salaria, 2001.** Fishing methods commonly employed in Jammu province of Jammu and Kashmir state, India. *J. Aqua. Biol.* **16 (1):** 91-97.
- Hamilton B, 1822.** *An account of the fishes found in the river Ganga and its branches. Vol. I-VII.* Printed for Archibald constable and company, Edinburgh and Hurst, Robinson and Co - 90, Cheapside London. pp: 405.
- Jayaram KC, 1982.** *The freshwater fishes of India, Pakistan, Bangladesh, Burma and Sri lanka. A handbook.* Zoological survey of India, Calcutta, 475 pp.
- Joshi PS, SA Tantarapale, VT Tantarapale And KM Kulkarni, 2012.** Ichthyological fauna of Buldhana District, Maharashtra (India). *O. Int. Intd. Res. J.* **2(2):** 111-115
- Kar D. 2003.** *Fishes of Baraka drainage Mizoram and Tripura in A. Kumar, C. Bhaora and L.K. Singh, (eds.).* APH Publishing cooperation, New Delhi. 202-211.
- Menon AGK, 1999.** Check List of Freshwater fishes of India. *Occasional paper no.175.ZSI Calcutta.* pp-306.
- Ubarhande SB, JT Jagtap and SR Sonawane, 2011.** Ichthyofanal Diversity from Ambadi Dam, TalukaKannad, District –Aurangabad (M.S.) *Rec. Res. in Sci. and Tech.* **3(6):** 34-37.
- Wilson EO, 1992.** *The Diversity of life.* Belknap press, Harvard Univ., Cambridge. MA.